

Bibliography from ADS file: schlichenmaier.bib

September 14, 2022

- Quintero Noda, C., Schlichenmaier, R., Bellot Rubio, L. R., et al., “*The European Solar Telescope*”, 2022arXiv220710905Q [ADS](#)
- Schmassmann, M., Rempel, M., Bello González, N., Schlichenmaier, R., & Jurčák, J., “Characterization of magneto-convection in sunspots. *The Gough-Taylor stability criterion in MURam sunspot simulations*”, 2021A&A...656A..92S [ADS](#)
- Strecker, H., Schmidt, W., Schlichenmaier, R., & Rempel, M., “On the (in)stability of sunspots”, 2021A&A...649A.123S [ADS](#)
- Jurčák, J., Schmassmann, M., Rempel, M., Bello González, N., & Schlichenmaier, R., “A distinct magnetic property of the inner penumbral boundary. III. Analysis of simulated sunspots”, 2020A&A...638A..28J [ADS](#)
- Lindner, P., Schlichenmaier, R., & Bello González, N., “Characterization of the umbra-penumbra boundary by the vertical component of the magnetic field. Analysis of ground-based data from the GREGOR Infrared Spectrograph”, 2020A&A...638A..25L [ADS](#)
- Schlichenmaier, R., Bellot Rubio, L. R., Collados, M., et al., “Science Requirement Document (SRD) for the European Solar Telescope (EST) (2nd edition, December 2019)”, 2019arXiv191208650S [ADS](#)
- Verma, M., Balthasar, H., Denker, C., et al., “Photospheric Magnetic Fields of the Trailing Sunspots in Active Region NOAA 12396”, 2019ASPC..526..291V [ADS](#)
- Bello González, N., Jurčák, J., Schlichenmaier, R., & Rezaei, R., “New Insights on Penumbra Magneto-Convection”, 2019ASPC..526..261B [ADS](#)
- Balthasar, H., Gömöry, P., González Manrique, S. J., et al., “Spectropolarimetric Observations of an Arch Filament System with GREGOR”, 2019ASPC..526..217B [ADS](#)
- Löhner-Böttcher, J., Schmidt, W., Schlichenmaier, R., Steinmetz, T., & Holzwarth, R., “Convective blueshifts in the solar atmosphere. III. High-accuracy observations of spectral lines in the visible”, 2019A&A...624A..57L [ADS](#)
- Loehner-Boettcher, J., Schmidt, W., Schlichenmaier, R., Steinmetz, T., & Holzwarth, R., “VizieR Online Data Catalog: Convective blueshifts in solar atmos. (Loehner-Boettcher+, 2019)”, 2019yCat..36240057L [ADS](#)
- Jurčák, J., Collados, M., Leenaarts, J., van Noort, M., & Schlichenmaier, R., “Recent advancements in the EST project”, 2019AdSpR..63.1389J [ADS](#)
- Schmassmann, M., Schlichenmaier, R., & Bello González, N., “Magnetic properties of a long-lived sunspot. Vertical magnetic field at the umbral boundary”, 2018A&A...620A.104S [ADS](#)
- Löhner-Böttcher, J., Schmidt, W., Schlichenmaier, R., et al., “Absolute velocity measurements in sunspot umbrae”, 2018A&A...617A..19L [ADS](#)
- Jurčák, J., Rezaei, R., González, N. B., Schlichenmaier, R., & Vomlel, J., “The magnetic nature of umbra-penumbra boundary in sunspots”, 2018A&A...611L..4J [ADS](#)
- González Manrique, S. J., Denker, C., Kuckein, C., et al., “Flows along arch filaments observed in the GRIS ‘very fast spectroscopic mode’”, 2017IAUS..327..28G [ADS](#)
- Borrero, J. M., Franz, M., Schlichenmaier, R., Collados, M., & Asensio Ramos, A., “Penumbral thermal structure below the visible surface”, 2017A&A...601L..8B [ADS](#)
- Jurcak, J., Bello González, N., Schlichenmaier, R., & Rezaei, R., “Canonical Bver value on umbral/penumbra boundaries”, 2017psio.confE.112Z [ADS](#)
- Jurčák, J., Bello González, N., Schlichenmaier, R., & Rezaei, R., “A distinct magnetic property of the inner penumbral boundary. II. Formation of a penumbra at the expense of a pore”, 2017A&A...597A..60J [ADS](#)
- Verma, M., Denker, C., Böhm, F., et al., “Flow and magnetic field properties in the trailing sunspots of active region NOAA 12396”, 2016AN...337.1090V [ADS](#)
- González Manrique, S. J., Kuckein, C., Pastor Yabar, A., et al., “Fitting peculiar spectral profiles in He I 10830Å absorption features”, 2016AN...337.1057G [ADS](#)
- Balthasar, H., Gömöry, P., González Manrique, S. J., et al., “Spectropolarimetric observations of an arch filament system with the GREGOR solar telescope”, 2016AN...337.1050B [ADS](#)
- Felipe, T., Collados, M., Khomenko, E., et al., “Three-dimensional structure of a sunspot light bridge”, 2016A&A...596A..59F [ADS](#)
- Joshi, J., Lagg, A., Solanki, S. K., et al., “Upper chromospheric magnetic field of a sunspot penumbra: observations of fine structure”, 2016A&A...596A..8J [ADS](#)
- Schlichenmaier, R., von der Lühe, O., Hoch, S., et al., “Active region fine structure observed at 0.08 arcsec resolution”, 2016A&A...596A..7S [ADS](#)
- Lagg, A., Solanki, S. K., Doerr, H. P., et al., “Probing deep photospheric layers of the quiet Sun with high magnetic sensitivity”, 2016A&A...596A..6L [ADS](#)
- Martínez González, M. J., Pastor Yabar, A., Lagg, A., et al., “Inference of magnetic fields in the very quiet Sun”, 2016A&A...596A..5M [ADS](#)
- Franz, M., Collados, M., Bethge, C., et al., “Magnetic fields of opposite polarity in sunspot penumbrae”, 2016A&A...596A..4F [ADS](#)
- Verma, M., Denker, C., Balthasar, H., et al., “Horizontal flow fields in and around a small active region. The transition period between flux emergence and decay”, 2016A&A...596A..3V [ADS](#)
- Borrero, J. M., Asensio Ramos, A., Collados, M., et al., “Deep probing of the photospheric sunspot penumbra: no evidence of field-free gaps”, 2016A&A...596A..2B [ADS](#)
- Sobotka, M., Dudík, J., Denker, C., et al., “Slipping reconnection in a solar flare observed in high resolution with the GREGOR solar telescope”, 2016A&A...596A..1S [ADS](#)
- Verma, M., Denker, C., Balthasar, H., et al., “Flows in and around Active Region NOAA12118 Observed with the GREGOR Solar Telescope and SDO/HMI”, 2016ASPC..504..29V [ADS](#)
- Jurčák, J., Bello González, N., Schlichenmaier, R., & Rezaei, R., “A distinct magnetic property of the inner penumbral boundary. Formation of a stable umbra-penumbra boundary in a sunspot”, 2015A&A...580L..1J [ADS](#)
- Jurčák, J., Bello González, N., Schlichenmaier, R., & Rezaei, R., “A distinct magnetic property of the inner penumbral boundary”, 2015arXiv150608574J [ADS](#)
- Jurčák, J., Bello González, N., Schlichenmaier, R., & Rezaei, R., “Evolution of magnetic field inclination in a forming penumbra”, 2014PASJ...66S..3J [ADS](#)
- Schlichenmaier, R. & Franz, M., “Stray-light correction in 2D spectroscopy”, 2013A&A...555A..84S [ADS](#)
- Löhner-Böttcher, J. & Schlichenmaier, R., “Correlations between sunspots and their moat flows”, 2013A&A...551A.105L [ADS](#)
- Franz, M. & Schlichenmaier, R., “The velocity field of sunspot penumbrae. II. Return flow and magnetic fields of opposite polarity”, 2013A&A...550A..97F [ADS](#)
- Bello González, N., Bellot Rubio, L. R., Ortiz, A., et al., “Comparing Simultaneous Measurements of two High-Resolution Imaging Spectropolarimeters: The ‘Göttingen’ FPI@VTT and CRISP@SST”, 2012ASPC..463..251B [ADS](#)
- , “2nd ATST-EAST Workshop in Solar Physics: Magnetic Fields from the Photosphere to the Corona”, 2012ASPC..463....R [ADS](#)
- Collados, M., López, R., Páez, E., et al., “GRIS: The GREGOR Infrared Spectrograph”, 2012AN...333..872C [ADS](#)
- Borrero, J. M., Pillet, V. M., Schlichenmaier, R., et al., “Supersonic Magnetic Flows in the Quiet Sun Observed with SUNRISE/IMaX”, 2012ASPC..455..155B [ADS](#)
- Schlichenmaier, R., Rezaei, R., & González, N. B., “On the Formation of Penumbrae as Observed with the German VTT SOHO/MDI, and SDO/HMI”, 2012ASPC..455..61S [ADS](#)
- Bello González, N., Kneer, F., & Schlichenmaier, R., “Shear and vortex motions in a forming sunspot. Twist relaxation in magnetic flux ropes”, 2012A&A...538A..62B [ADS](#)
- Rezaei, R., Bello González, N., & Schlichenmaier, R., “The formation of sunspot penumbra. Magnetic field properties”, 2012A&A...537A..19R [ADS](#)
- Rempel, M. & Schlichenmaier, R., “Sunspot Modeling: From Simplified Models to Radiative MHD Simulations”, 2011LRSP....8....3R [ADS](#)
- Schlichenmaier, R., González, N. B., & Rezaei, R., “The formation of a penumbra as observed with the German VTT and SoHO/MDI”, 2011IAUS..273..134S [ADS](#)
- Bellot Rubio, L. R., Schlichenmaier, R., & Langhans, K., “Searching for Overturning Convection in Penumbral Filaments: Slit Spectroscopy at Ofarc2 Resolution”, 2010ApJ...725..11B [ADS](#)
- Moradi, H., Baldner, C., Birch, A. C., et al., “Modeling the Subsurface Structure of Sunspots”, 2010SoPh..267....1M [ADS](#)
- Borrero, J. M., Martínez-Pillet, V., Schlichenmaier, R., et al., “Supersonic Magnetic Upflows in Granular Cells Observed with SUNRISE/IMAX”, 2010ApJ...723L.144B [ADS](#)
- Franz, M. & Schlichenmaier, R., “Center to limb variation of penumbral Stokes V profiles”, 2010AN...331..570F [ADS](#)
- Schlichenmaier, R., Bello González, N., Rezaei, R., & Waldmann, T. A., “The role of emerging dipoles in the formation of a sunspot penumbra”, 2010AN...331..563S [ADS](#)
- Schlichenmaier, R., Rezaei, R., Bello González, N., & Waldmann, T. A., “The formation of a sunspot penumbra”, 2010A&A...512L..1S [ADS](#)
- Franz, M., Schlichenmaier, R., & Schmidt, W., “Small-Scale Velocities in Sunspot Penumbrae”, 2010ASSP...19..510F [ADS](#)
- Franz, M. & Schlichenmaier, R., “Spectral Analysis of Sunspot Penumbrae Observed with Hinode”, 2009ASPC..415..369F [ADS](#)
- Steiner, O., Rezaei, R., Schlichenmaier, R., Schaffenberger, W., & Wedemeyer-Böhm, S., “The Horizontal Magnetic Field of the Quiet Sun: Numerical Simulations in Comparison to Observations with Hinode”, 2009ASPC..415..67S [ADS](#)

- Franz, M. & Schlichenmaier, R., "The velocity field of sunspot penumbrae. I. A global view", 2009A&A...508..1453F [ADS](#)
- Rezaei, R., Schlichenmaier, R., Schmidt, W., & Beck, C., "Temporal Evolution of Magnetic Elements", 2009ASPC..405..195R [ADS](#)
- Schlischenmaier, R., "Sunspots: From Small-Scale Inhomogeneities Towards a Global Theory", 2009SSRv..144..213S [ADS](#)
- Schlischenmaier, R., "Sunspots: From Small-Scale Inhomogeneities Towards a Global Theory", in M. J. Thompson, A. Balogh, J. L. Culhane, Å. Nordlund, S. K. Solanki, and J. P. Zahn (Eds.), *The Origin and Dynamics of Solar Magnetism*, Vol. 32, 213 2009odsm.book..213S [ADS](#)
- Schlischenmaier, R. & Franz, M., "The Small Scale Flow Field of a Sunspot Penumbra", 2008ESPM...12.2.28S [ADS](#)
- Rezaei, R., Bruls, J., Beck, C., et al., "Reversal-free Ca II H Profiles: a Challenge for Solar Chromosphere Modeling in Quiet Inter-Network", 2008ESPM...12.2.13R [ADS](#)
- Rezaei, R., Bruls, J. H. M. J., Schmidt, W., et al., "Reversal-free Ca II H profiles: a challenge for solar chromosphere modeling in quiet inter-network", 2008A&A...484..503R [ADS](#)
- Tritschler, A., Müller, D. A. N., Schlichenmaier, R., & Hagenaar, H. J., "Fine Structure of the Net Circular Polarization in a Sunspot Penumbra", 2007ApJ...671L..85T [ADS](#)
- Rezaei, R., Steiner, O., Wedemeyer-Böhm, S., et al., "Hinode observations reveal boundary layers of magnetic elements in the solar photosphere", 2007A&A...476L..33R [ADS](#)
- Rezaei, R., Steiner, O., Wedemeyer-Böhm, S., Schlichenmaier, R., & Lites, B. W., "Variation of the Stokes-V area asymmetry across magnetic elements", 2007AN....328..706R [ADS](#)
- Beck, C., Bellot Rubio, L. R., Schlichenmaier, R., & Sütterlin, P., "Magnetic properties of G-band bright points in a sunspot moat", 2007A&A...472..607B [ADS](#)
- Rezaei, R., Schlichenmaier, R., Schmidt, W., & Steiner, O., "Opposite magnetic polarity of two photospheric lines in single spectrum of the quiet Sun", 2007A&A...469L..9R [ADS](#)
- Rezaei, R., Schlichenmaier, R., Beck, C. A. R., Bruls, J. H. M. J., & Schmidt, W., "Relation between photospheric magnetic field and chromospheric emission", 2007A&A...466..1131R [ADS](#)
- Schlischenmaier, R., Müller, D. A. N., & Beck, C., "On the inhomogeneities of the sunspot penumbra", 2007msfa.conf..233S [ADS](#)
- Rezaei, R., Schlichenmaier, R., Beck, C., & Schmidt, W., "Photospheric magnetic field and chromospheric emission", 2007msfa.conf..169R [ADS](#)
- Beck, C., Mikurda, K., Bellot Rubio, L. R., Schlichenmaier, R., & Sütterlin, P., "Magnetic properties of G-band bright points", 2007msfa.conf..165B [ADS](#)
- Müller, D. A. N., Schlichenmaier, R., Fleck, B., & Fritz, G., "Disentangling The Magnetic Field Structure Of Sunspots - Stereoscopic Polarimetry With Solar Orbiter", 2007ESASP.641E..32M [ADS](#)
- Beck, C., Schmidt, W., Bellot Rubio, L. R., et al., "Polarimetric Observations of the Formation of a G-Band Bright Point", 2006ASPC..358..72B [ADS](#)
- Müller, D. A. N., Schlichenmaier, R., Fritz, G., & Beck, C., "The multi-component field topology of sunspot penumbrae. A diagnostic tool for spectropolarimetric measurements", 2006A&A...460..925M [ADS](#)
- Schlischenmaier, R., "The fine-structure of a Sunspot penumbra", 2006IAUJD...3E..88S [ADS](#)
- Rezaei, R., Schlichenmaier, R., Beck, C., & Bellot Rubio, L. R., "The flow field in the sunspot canopy", 2006A&A...454..975R [ADS](#)
- Müller, D. A. N., Schlichenmaier, R., Fritz, G., & Beck, C., "Net Circular Polarization of Sunspot Penumbrae- A Versatile Tool for Diagnosing Magnetic Field Structure", 2006ESASP.617E..72M [ADS](#)
- Bellot Rubio, L. R., Schlichenmaier, R., & Tritschler, A., "Two-dimensional spectroscopy of a sunspot. III. Thermal and kinematic structure of the penumbra at 0.5 arcsec resolution", 2006A&A...453..1117B [ADS](#)
- Müller, D., Schlichenmaier, R., Fritz, G., & Beck, C., "Net Circular Polarization Of Sunspot Penumbrae - A Versatile Model For Diagnosing Magnetic Field Structure", 2006SPD...37..0707M [ADS](#)
- Schlischenmaier, R., "Prospects of Solar Physics from the Ground", 2006IAUS..233..427S [ADS](#)
- Beck, C., Schlichenmaier, R., Collados, M., Bellot Rubio, L., & Kentischer, T., "A polarization model for the German Vacuum Tower Telescope from *in situ* and laboratory measurements", 2005A&A...443..1047B [ADS](#)
- Bellot Rubio, L. R., Langhans, K., & Schlichenmaier, R., "Multi-line spectroscopy of dark-cored penumbral filaments", 2005A&A...443L..7B [ADS](#)
- Tritschler, A., Schlichenmaier, R., & Bellot Rubio, L. R., "Flow filaments linking bright and dark filaments in a sunspot penumbra", 2005AGUSMSP11A..08T [ADS](#)
- Schlischenmaier, R., Bellot Rubio, L. R., & Tritschler, A., "On the relation between penumbral intensity and flow filaments", 2005AN....326..301S [ADS](#)
- Soltau, D., Berkefeld, T., Schlichenmaier, R., Tritschler, A., & Rubio, L. R. B., "Penumbral Line Asymmetries Using KAOS", 2005sao..conf..129S [ADS](#)
- Sütterlin, P., Bellot Rubio, L. R., & Schlichenmaier, R., "Asymmetrical appearance of dark-cored filaments in sunspot penumbra", 2004A&A...424..1049S [ADS](#)
- Schlischenmaier, R., Bellot Rubio, L. R., & Tritschler, A., "Two-dimensional spectroscopy of a sunspot. II. Penumbral line asymmetries", 2004A&A...415..731S [ADS](#)
- Tritschler, A., Schlichenmaier, R., Bellot Rubio, L. R., et al., "Two-dimensional spectroscopy of a sunspot. I. Properties of the penumbral fine structure", 2004A&A...415..717T [ADS](#)
- Schlischenmaier, R. & Solanki, S. K., "On the heat transport in a sunspot penumbra", 2003A&A...411..257S [ADS](#)
- Bellot Rubio, L. R., Schlichenmaier, R., & Tritschler, A., "Thermal Kinematic Structure of a Sunspot at 0.5 arcsec Resolution", 2003ANS...324..104B [ADS](#)
- Tritschler, A., Schlichenmaier, R., & Bellot Rutbio, L., "2D Spectroscopy with a Triple Gabry-Perot Spectrometer and Adaptive Optics", 2003ANS...324..21T [ADS](#)
- Bellot Rubio, L. R., Balthasar, H., Collados, M., & Schlichenmaier, R., "Field-aligned Evershed flows in the photosphere of a sunspot penumbra", 2003A&A...403L..47B [ADS](#)
- Bellot Rubio, L. R., Tritschler, A., & Schlichenmaier, R., "2D Solar Spectroscopy with a Triple Fabry-Perot Filtergraph", 2003IAUJD..20E..27B [ADS](#)
- Schlischenmaier, R., "The Sunspot Penumbra: New Developments (Invited review)", 2003ASPC..286..211S [ADS](#)
- Müller, D. A. N., Schlichenmaier, R., Steiner, O., & Stix, M., "Spectral signature of magnetic flux tubes in sunspot penumbrae", 2002A&A...393..305M [ADS](#)
- Schlischenmaier, R., "Penumbral fine structure: Theoretical understanding", 2002AN....323..303S [ADS](#)
- Müller, D. A. N., Schlichenmaier, R., Steiner, O., & Stix, M., "Net circular polarization of sunspot penumbrae - symmetry breaking by anomalous dispersion", 2002ESASP.508..141M [ADS](#)
- Schlischenmaier, R., Müller, D. A. N., Steiner, O., & Stix, M., "Net circular polarization of sunspot penumbrae. Symmetry breaking through anomalous dispersion", 2002A&A...381L..77S [ADS](#)
- Schlischenmaier, R. & Collados, M., "Spectropolarimetry in a sunspot penumbra. Spatial dependence of Stokes asymmetries in Fe I 1564.8 nm", 2002A&A...381..668S [ADS](#)
- Müller, D. A. N., Steiner, O., Schlichenmaier, R., & Brandt, P. N., "Time-slice diagrams of solar granulation", 2001SoPh..203..211M [ADS](#)
- Schlischenmaier, R., Soltau, D., Lühe, O. V. D., & Collados, M., "Penumbral Stokes-V Asymmetries of Fe I 1564.8 nm", 2001ASPC..236..579S [ADS](#)
- Schlischenmaier, R. & Schmidt, W., "Small-Scale Flow Field in a Sunspot Penumbra", 2001ASPC..236..289S [ADS](#)
- Schmidt, W. & Schlichenmaier, R., "Small-scale flow field in a sunspot penumbra", 2000A&A...364..829S [ADS](#)
- Schlischenmaier, R. & Schmidt, W., "Flow geometry in a sunspot penumbra", 2000A&A...358..1122S [ADS](#)
- Schlischenmaier, R. & Schmidt, W., "Vertical mass flux in a sunspot penumbra", 1999A&A...349L..37S [ADS](#)
- Schlischenmaier, R., Bruls, J. H. M. J., & Schüssler, M., "Radiative cooling of a hot flux tube in the solar photosphere", 1999A&A...349..961S [ADS](#)
- Schlischenmaier, R., "A Model for Penumbral Phenomena", 1999ASPC..183..91S [ADS](#)
- Schlischenmaier, R., Bruls, J. H. M. J., & Schüssler, M., "Radiative cooling of a hot flux tube in the solar photosphere", 1999AGAb...150..75S [ADS](#)
- Schlischenmaier, R. & Schmidt, W., "Vertical and horizontal mass flux in a sunspot penumbra.", 1999AGAb...15..8S [ADS](#)
- Schlischenmaier, R., Jahn, K., & Schmidt, H. U., "Magnetic flux tubes evolving in sunspots. A model for the penumbral fine structure and the Evershed flow", 1998A&A...337..897S [ADS](#)
- Schlischenmaier, R., Jahn, K., & Schmidt, H. U., "A Dynamical Model for the Penumbral Fine Structure and the Evershed Effect in Sunspots", 1998ApJ...493L.121S [ADS](#)
- Schlischenmaier, R.: 1997, "Die Dynamik magnetischer Flußröhren im Sonnenfleck : ein Modell für den Evershed-Effekt und die penumbrale Feinstruktur. Die Dynamik magnetischer Flußröhren im Sonnenfleck : ein Modell für den Evershed-Effekt und die penumbrale Feinstruktur. The dynamics of magnetic flux tubes in sunspots : a model for the Evershed effect and penumbral fine structure;"., Ph.D. thesis, Ludwig-Maximilians University of Munich, Germany 1997PhDT.....34S [ADS](#)
- Schlischenmaier, R., Jahn, K., & Schmidt, H. U., "Dynamics of a Thin Magnetic Flux Tube in the Penumbra", 1997ASPC..118..140S [ADS](#)
- Schlischenmaier, R., Jahn, K., & Schmidt, H. U., "Energy transport in the penumbra.", 1996NAWG.1996..202S [ADS](#)

- Jahn, K., Schlichenmaier, R., & Schmidt, H. U., “*Numerical Study of a Thin Magnetic Flux Tubes’ Migration in a Sunspots’ Penumbra*”, 1996pas..meet...73J [ADS](#)
- Jahn, K., Schlichenmaier, R., & Schmidt, H. U., “*Evolution of a Magnetic Flux Tube in a Sunspot Penumbra*”, 1996ApL&C..34...59J [ADS](#)
- Schlichenmaier, R., Jahn, K., & Schmidt, H. U., “*Dynamics of a magnetic flux tube in the penumbra.*”, 1996AGAb...12...90S [ADS](#)
- Schlichenmaier, R. & Stix, M., “*The phase of the radial mean field in the solar dynamo.*”, 1995A&A...302..264S [ADS](#)
- Schlichenmaier, R. & Stix, M., “*The phase of the radial field in the solar dynamo*”, 1994smf..conf..107S [ADS](#)